



ALUMKING

Product catalog

Company History



Founded in 1979, Alumking's parent company is in charge of a complete chain ranging from mining bauxite to marketing. As an international service center, it aims to globally promote products, like aluminum sheet, panel, coil, foil, strip, etc. with one-stop service.

Covering an area of 2.3million square meters, it is located in Yangzhou, Jiangsu Province with registered capital of 160 million dollars. With 2,500 employees, we manufacture 3000 tons of aluminium products per month.



Based on the principle of "Superior quality and one-stop service", products are supplied according to your need with flexibility and reliability. Your purchasing process is simplified, and meanwhile an effective contact is kept. After online ordering, a manufacturing list will be made in the first place. During production, our technicians seriously inspect the quality and progress to confirm that we can deliver

superior products on time. The ownership of bauxite and plant ensure our quality can exceed your requirement. The resource determines that our price is competitive.

Being well-funded, Alumking is capable to handle the risks and keep the industrial chain complete. Moreover, advanced equipment and personnel could be introduced. Through this, quality and price are controlled from the origin. Excellent teamwork. Besides passing ISO9001, requirements and advice from clients are always taken seriously, and innovative solutions will be offered.



Our mission is to assure your success by providing quality products and service. Each step, which ranges from choosing raw material to final delivery, is controlled seriously.


Alumking's values is committed to be a trusted supplier by supplying quality products and service. We are committed to being a partner by providing our employees inclusive working environment and satisfied pay back.

Alumking has been constantly focusing on working out creative solutions to achieve sustainable development.



Products Show

Aluminum Billet




| Product | Grade | Temper | Diameter(mm) | Length(m) |
|----------------------------------|---|-----------------------------------|--------------|-------------------------------------|
| aluminum billet / bar /rod | 6060 6061 6063, 6082 6351 7075 | T6 H112 T6/T651 T3 T8 | 2-500 | 2m,3m,5,8m, 6m,or as required |

Cold-Rolled Products



| Name | Alloy | Temper | Thickness (mm) | Width (mm) | Max.O.D. (mm) |
|---------------------------|---------------------------|---|-------------------|---------------|------------------|
| PS substrate | 1050, 1060,1070 | H14, H18, H19 | 0.13-0.3 | 1000-1500 | ∅ 1900 |
| Foil Stock | 1xxx, 3xxx, 5xxx, 8xxx | O, H1x, H2x | 0.25-0.5 | 800-1700 | ∅ 1900 |
| Curtain Wall Plate | 1xxx, 3xxx, 8xxx | H12, H14, H22, H24, H26, O | 0.2-4.0 | 800-1700 | ∅ 1900 |
| Lid Stock | 1060, 8011, 5052,5182 | H16, H18, H19, H22, H24, H26 | 0.15-0.3 | 800-1700 | ∅ 1900 |
| Strip(Sheet) | 1xxx, 3xxx, 5xxx, 8xxx | O, H1x, H2x | 0.1-4.0 | 800-1700 | ∅ 1900 |
| Composite Panels | 1100, 3003 8011 | H12, H14, H16, H18, H22, H24, H26 | 0.1-0.35 | 800-1700 | ∅ 1900 |
| Foil Stock | 1xxx, 3xxx, 8xxx | O, H14, H18 | 0.25-0.5 | 800-1650 | ∅ 1900 |
| Thinnest Gauge Foil Stock | 1145, 1235 | H14 | 0.2-0.5 | 1000-1600 | ∅ 1900 |

Cast-Rolling Coil



| Name | Alloy | Temper | Thickness (mm) | Width (mm) | I.D. (mm) |
|-------------------------------|-------|--------|-------------------|---------------|--------------|
| Continuous Casting Coil | 1xxx | F | 6-10 | 700-1750 | 505, 605 |
| | 3xxx | F | 6-10 | 700-1750 | 505, 605 |
| | 5xxx | F | 6-10 | 700-1750 | 505, 605 |
| | 8xxx | F | 6-10 | 700-1750 | 505, 605 |

Aluminum Foil Products



| Product | Grade | Temper | Thickness(mm) | Width(mm) | Surface |
|------------------------|------------------------|-----------|---------------|-----------|------------------|
| Double Zero Foil | 1235 1145 8011 8079 | O H18 | 0.006-0.009 | 200-1700 | One Side Bright |
| Household Foil | 1235 1145 8011 | O | 0.009-0.02 | 200-1700 | One Side Bright |
| Pharmacy Foil | 1235 8011 | H18 | 0.009-0.03 | 200-1700 | One Side Bright |
| Container Foil | 3003 8011 8021 | O H22 H24 | 0.04-0.2 | 200-1700 | Two Sides Bright |
| Beer Mark Foil | 1235 8011 | O | 0.009-0.011 | 200-1700 | One Side Bright |
| Air Conditioner Foil | 3102 8011 8006 | O H22 H24 | 0.08-0.15 | 200-1700 | Two Sides Bright |
| Food Soft Packing Foil | 8011 1235 1145 | O | 0.009-0.023 | 200-1700 | One Side Bright |

Our Facilities



The available equipment is listed as follows: electronic tensile testers of Hydra, spectrum analyzer B&W Tek, 40-ton-annealing furnaces, vertical cutting machines, a stretch bender, etc. And in the future, more investment will be made to improve our technical and increasing capability.